




SCHEDA TECNICA / DATA SHEET

Art.400

Raccordo dritto maschio

Straight nipple male



TAB. 1/3


Misura Size	Spessore Thick.	D1 [mm]	D2 [mm]	D3 [mm]	A [mm]	Ch1 [mm]	Ch2 [mm]
12x3/8	1.1	12	3/8	8	34.6	21	24
12x3/8	2.0	12	3/8	6	34.5	21	24
12x1/2	1.1	12	1/2	8	37.3	21	24
12x1/2	2.0	12	1/2	6	37.3	21	24
15x3/8	2.5	15	3/8	8	34.6	21	24
15x1/2	2.5	15	1/2	8	37.3	21	24
15x3/4	2.5	15	3/4	8	39.1	27	24
16x3/8	1.5	16	3/8	10.5	34.6	21	24
16x3/8	2.0	16	3/8	9.5	34.6	21	24
16x3/8	2.2	16	3/8	9.5	34.6	21	24
16x1/2	1.5	16	1/2	10.5	37.3	21	24
16x1/2	2.0	16	1/2	9.5	37.3	21	24
16x1/2	2.2	16	1/2	9.5	37.3	21	24
16x3/4	1.5	16	3/4	10.5	40.0	27	24



SCHEDA TECNICA / DATA SHEET

Art.400

Raccordo dritto maschio
Straight nipple male



TAB. 2/3


Misura Size	Spessore Thick.	D1 [mm]	D2 [mm]	D3 [mm]	A [mm]	Ch1 [mm]	Ch2 [mm]
16x3/4	1.5	16	3/4	10.5	40.0	27	24
16x3/4	2.0	16	3/4	9.5	39.1	27	24
16x3/4	2.2	16	3/4	9.5	39.3	27	24
17x1/2	2.0	17	1/2	10.5	37.8	24	27
18x1/2	2.0	18	1/2	11.5	37.8	24	27
18x1/2	2.5	18	1/2	10.5	37.8	24	27
18x3/4	2.0	18	3/4	11.5	39.5	27	27
18x3/4	2.5	18	3/4	10.5	39.6	27	27
20x1/2	2.0	20	1/2	13.5	40.2	27	30
20x1/2	2.8	20	1/2	12	40.2	27	30
20x3/4	2.0	20	3/4	13.5	41.5	27	30
20x3/4	2.8	20	3/4	12	42.0	27	30
20x1/0	2.8	20	1/0	12	45.0	34	30



SCHEDA TECNICA / DATA SHEET

Art.400

Raccordo dritto maschio
Straight nipple male



TAB. 3/3

Misura Size	Spessore Thick.	D1 [mm]	D2 [mm]	D3 [mm]	A [mm]	Ch1 [mm]	Ch2 [mm]
22x1/2	3.0	22	1/2	13.5	40.2	29	32
22x3/4	3.0	22	3/4	13.5	41.5	29	32
25x3/4	2.3	25	3/4	17	48.0	34	36
25x3/4	3.5	25	3/4	15	48.0	34	36
25x1/0	2.3	25	1/0	17	51.5	34	36
25x1/0	3.5	25	1/0	15	51.5	34	36
28x3/4	3.0	28	3/4	19	49.5	38	42
28x3/4	4.0	28	3/4	17	49.5	38	42
28x1/0	3.0	28	1/0	19	52.0	38	42
28x1/0	4.0	28	1/0	17	52.0	38	42
32x3/4	3.0	32	3/4	22.5	50.0	44	45
32x3/4	4.4	32	3/4	20	50.0	44	45
32x1/0	3.0	32	1/0	22.5	52.5	41	45
32x1/0	4.4	32	1/0	20	52.5	41	45
32x1.1/4	3.0	32	1.1/4	22.5	54.5	44	45